

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property  
Organization  
International Bureau



31 MAR 2005

(43) International Publication Date  
15 April 2004 (15.04.2004)

PCT

(10) International Publication Number  
**WO 2004/032485 A1**

(51) International Patent Classification<sup>7</sup>: **H04N 5/00, 7/24**

(21) International Application Number:  
PCT/EP2003/050678

(22) International Filing Date: 2 October 2003 (02.10.2003)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:  
0212412 7 October 2002 (07.10.2002) FR

(71) Applicant (for all designated States except US): **THOMSON LICENSING S.A.** [FR/FR]; 46 quai A. Le Gallo, F-92100 Boulogne (FR).

(72) Inventors; and

(75) Inventors/Applicants (for US only): **MAETZ, Yves**

[FR/FR]; 7 square du roi Tristan, F-35520 Melesse (FR).  
**SCHAEFER, Ralf** [DE/FR]; 7 ter, rue de la Lande, F-35690 Acigné (FR).


(74) Agent: **KERBER, Thierry**; Thomson, European Patent Operations, 46, quai Alphonse le Gallo, F-92648 Boulogne (FR).

(81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

(84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE,

[Continued on next page]

(54) Title: **INTERACTIVE TELEVISION RECEPTION AND TRANSMITTING PROCESSES AND ASSOCIATED DEVICES**



(57) Abstract: The invention relates to an interactive television process applicable to a system where one or more transmitting stations transmit programmes to receivers. This process provides for: a) reception in one of the receivers, of a startup application (A2) and of a normal application (A3); b) testing for the presence in a memory of the receiver of at least one file of additional data; c) in the absence of this file or of these files in this memory, starting up of the normal application (A3); d) if the files of additional data are present, starting up of an improved application (A4) using the files of additional data.

WO 2004/032485 A1



ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO,  
SE, SI, SK, TR). OAPI patent (BF, BJ, CF, CG, CI, CM,  
GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

— before the expiration of the time limit for amending the  
claims and to be republished in the event of receipt of  
amendments

**Published:**

— with international search report

For two-letter codes and other abbreviations, refer to the "Guid-  
ance Notes on Codes and Abbreviations" appearing at the begin-  
ning of each regular issue of the PCT Gazette.

**Interactive television reception and transmitting  
processes and associated devices**

The invention relates to an interactive television system. It is more particularly applicable to the cases where the television reception system is connected to a domestic digital network. It is therefore  
5 concerned in particular with a system comprising means of interactive digital television transmission and user stations or terminals for reception of interactive digital television.

The invention applies equally to a standardized  
10 interactive digital television system (Multimedia Home Platform or MHP standard, for example) as to a proprietary system (such as that implemented by the OpenTV company for example).

15 Devices are known in the art which make provision for the recording, by means of decoders, of interactive programmes. The latter subsequently enable a user to interact, during the viewing of an application. For example, the document WO-01/50763 discloses the automatic  
20 recording of an auxiliary programme according to preset criteria, with a view to subsequent use by the user. Document WO-00/76213 relates to a prior recording of a software application, then of a television programme corresponding to the moment of its broadcasting, with  
25 appropriate markings for the interactivity relating to this application and the option for the user to trigger the interactive programme.

In interactive digital television systems, the broadcaster provides the terminal with a digital stream.  
30 This stream contains multiplexed data which make it possible to reconstruct the initial streams: for example

video streams, audio streams, signalling data and interactive application.

For reasons of broadcasting cost and of downloading time, the broadcasters and providers of services tend to minimize the size of the applications. An effect of this is the non-existence of applications that contain additional content such as real-time video sequences enhancing broadcast programmes. Now, the use of these sequences may be very beneficial for the production of interactive adverts for example.

The prior downloading to the terminal of sophisticated applications can be envisaged, and may make it possible for data which it would be impractical, or even impossible, to download with the stream broadcast upon the triggering of an application to be made available locally. However, such an approach requires a coherent system that executes in a rather complex way, since it is necessary to organize a prior downloading of the applications into all the receivers concerned. In practice, receivers that have been unable to download the applications in the requisite time cannot benefit from the associated interactive services. Now, several factors might compromise the local availability of these applications: insufficient storage space, overly restricted bandwidth, failed prior connection to a network (for example the Internet) for downloading, etc.

Document EP-0989743 discloses a method of transmitting application data in a digital transport stream, these data relating to several services. An application data table, also transmitted, contains information about the applications transported in each service. This table enables in particular a decoder to decide whether or not to maintain applications when switching from one service to another (§ [0148]), or

whether download applications not yet present in the decoder but required by a new service (§ [0121]).

Prior document WO-01/31920 describes a technique for managing multiple applications in a digital network, according to which a virtual application table ("VAT" table) is communicated to terminals. The latter are moreover furnished with authorization levels fixed by a multiapplications manager. On the basis of this information, each terminal is capable of constructing a local VAT table, which indicates those applications that the terminal must be furnished with, by downloading (p.28, 1.3-27).

These latter two embodiments necessitate table tracking, management and utilization, which entails a relatively high level of complexity.

International application WO-00/64172 teaches a method for performing or otherwise a predefined action in a receiver, for example for selecting the display of information, as a function of the contents of triggers received by this receiver. This display is different depending on whether a predefined rule does or does not apply to the triggers received.

This technique requires that the management of the triggers be precisely coordinated with the chosen display schemes.

Patent US-2002/0059623 discloses a file system with dual mode in a television of a subscriber network. This system is designed to use local data when they are available and remote data (by downloading) in the converse case. The data required for services can be obtained beforehand by the receivers and be stored locally in the form of data relating to hyperlinks (§ [0107]). Upon the execution of a corresponding

service, a local application verifies the presence of these data in local memory and proposes to the user the execution of an improved version of the service using the hyperlinks (\$ [0109]).

5 Patent US-5 966 120 describes a method for combining and distributing data with a pre-formatted real-time video. In a receiver, an augmented video programme is created by inserting selected portions of auxiliary data into a selected primary video programme.  
10 These auxiliary data may be stored beforehand in the receiver, so as to be utilized subsequently at the requisite time.

Prior document WO-02/32139 relates to systems and methods for providing media content on demand, for  
15 example on-demand video or audio content, or electronic publications. An interactive television furnished with appropriate means can retrieve further content corresponding to such selected media content, either at the same time as the latter is despatched, or by prior  
20 downloading (p.42, 1.31-33). In the latter case, the interactive television is capable of also retrieving information associating the further content with the media content (p.43, 1.9-14). The mode of display of the further content with respect to the media content may  
25 optionally be chosen by the user (p.45, 1.4-7).

The potentialities of these latter three techniques remain restricted in practice to the displaying of small supplementary fields on the screen, added to the displaying of the base service, or to the  
30 introduction of sequences such as short advertising inserts.

The present invention relates to interactive television and transmitting processes (notably  
35 broadcasting) enabling the execution of sophisticated

applications, while considerably reducing the risks of nontriggering of the applications.

The processes of the invention may be implemented in a reliable manner, without needing excessive  
5 resources.

The invention also relates to devices associated with these processes and offering the same advantages: interactive television receiver, digital television terminal and programme transmitting station, as well as  
10 corresponding computer programs.

The invention therefore relates to an interactive television process applicable to a system where at least one or more transmitting stations transmit programmes to  
15 receivers. This process comprises:

(a) reception in one of the receivers, of a startup application and of a normal application and triggering of the startup application causing execution of steps b) to d) hereinbelow;

20 (b) testing for the presence in a memory of the said receiver of at least one file of additional data;

(c) in the absence of this file or of these files of additional data in the memory, starting up of  
25 the normal application;

(d) if the file or files of additional data are present in the memory, starting up of an improved application using these files of additional data.

30 The expression "interactive television" is understood to mean a television allowing either interactivity between the broadcasting station and the receivers, by virtue of a return path, or local interactivity at the level of the receivers or of  
35 terminals downstream, or both:

The term "application" designates moreover a functional assembly designed to be executed at the level of receivers and/or of terminals downstream, in interaction with a user, preferably in a format rendering it suitable for being broadcast over a network. This functional assembly can in particular include content, in particular of audio and/or video type, software instructions and/or description pages (for example HTML or MHEG).

The distinction between startup normal and improved applications is of a functional nature, each of these applications fulfilling a specific role. However, in practice, they may be merged into functionalities of one and the same application, a kernel of which is designed for startup, and provided with modules dynamically linked to the kernel so as to allow normal or improved operations.. Hybrid embodiments with two applications instead of one or of three may also be beneficial (an application for startup and normal operations or an application for startup and improved operations).

Further, several improved applications may also be provided likewise, that are respectively associated to the presence or the absence of several additional data files.

Surprisingly, the process of the invention makes two distinct applications, offering variable levels of information, available simultaneously to the receivers. It is at the receiver level, as a function of the data available in memory, that the choice is made between these two applications. This approach contrasts with the known methods, which provide for complete unavailability of an application in the case where the receiver is not



able to execute it, and which are for this reason centred around the adaptation of the execution capabilities of the terminals. It may offer great flexibility of implementation and of execution.

5

By way of illustration, the interactive television process is implemented in respect of an automobile advert. In the version associated with the normal application, photos of cars for sale are shown statically on the screen, while superimposing, in display windows, information relating to the features of the vehicles for sale (screen mixing text and light graphics).

On the other hand, in the version associated with the improved application, the television viewer is presented with video sequences with inlaid buttons, which make it possible to navigate from one sequence to another. A menu bar at the bottom of the screen makes it possible to change stream so as to view and/or hear recounted, specific features of the car.

More generally, the improved application advantageously expresses as video and/or sound sequences, elements expressed in a textual manner by the normal application.

25

The transmission of the programmes from the transmitting stations to the receivers is preferably done through broadcasting.

30

The receivers can consist of user terminals, or optionally of pooled or networked systems, able to make information in memory available for a plurality of terminals. In the latter case, the startup test and its

side branches are implemented at the level of these systems, upstream of the terminals.

In a first form of use of the startup application, the latter executes steps b) to d) itself. The test and selection instructions for the application to be started up are therefore controlled directly by the broadcasting station. In a second form of use of the startup application, the test and selection instructions are implemented locally, at the level of the receivers. The startup application then only has a role of triggering these functionalities. The implementation of these latter in a receiver may be performed by initial downloading (via the Internet or via a general broadcast), or by direct installation in the receiver of an appropriate module.

Preferably, it is possible to "force" startup of the normal application, even when the files of additional data are available locally. Thus, a user can in certain cases avoid possible problems of slowdowns or of display (overloaded memory, required version of the plugware or plug-in not available, etc.), by using just the elementary version of the application.

The process of the invention advantageously comprises the following prior steps, the transmitting station comprising at least one link for bilateral communication with the receivers:

- e) reception of a message proposing loading of the files of additional data into the receiver;
- f) acceptance or refusal by a user of the receiver, of the proposed loading;
- g) in case of refusal, exiting from the present process;

h) in case of acceptance, automatic downloading of the files of additional data which are usable subsequently by the startup application (A2) into the receiver, via the bilateral communication link;

5 i) recording in the said memory of the said receiver, of the files of additional data.

One of the objects of the invention may thus be to provide the user with the possibility of accepting or of refusing the loading of data possibly of various types  
10 (software, video and/or audio streams, pictures, alphanumeric information) and in this way to offer him several levels of payback of the application, depending on the presence of otherwise of these additional data.

15 In another advantageous form of downloading of the files of additional data, the return path is not used and the user interacts locally with the receiver to indicate that he wishes to obtain an improved version of the application. The receiver then automatically obtains  
20 the files of additional data from information communicated by the transmitting station with the loading proposal message. For example, the download is performed via the Internet, by broadcasting in a specific stream, or by a broadband stream via a DSL network.

25 In yet another form of downloading of the files of additional data, the user downloads them spontaneously from a communications network, such as for example the Internet. He then needs to be informed sufficiently in  
30 advance of the availability of the information and of their location (for example by means of a programme guide, or of a transmitted advert).

Before step f), there is advantageously provision  
35 for the reception, by the receiver, of at least one cue

regarding the contents of the files of additional data, this cue or cues preferably being chosen from among a size, a subsequent date of use, a date of expiry or of validity of the additional data, a date on which the  
5 additional data will be used, a broadcasting channel which will use the additional data, and a downloading address.

Before step h), there is advantageously provision for the user to indicate a choice of immediate  
10 downloading or of deferred downloading of the files of additional data.

It is also beneficial during step e), for the reception of the proposal message to be effected upon the reception of an application of the same type as the  
15 improved application.

According to a variant embodiment, the files of additional data contain the improved application. Alternatively, there is provision, during step a), for the user to also receive the improved application.

Moreover, the process of the invention preferably comprises a step of automatic erasing of the contents of the memory. It is also possible to provide for an automatic erasure system. A date of erasure is then advantageously associated with the files of additional  
20 data and the erasure step comprises a periodic operation of reading this date and an erasure operation when this date is reached. In another form of erasure of the contents of the memory, this erasure step is triggered by the user or by a command remotely controlled from the  
25 broadcasting station for example.

It should be noted that the files of additional data may equally well contain one or more pieces of software, video data, pictures, sound or a combination of these types of data.  
30

Moreover, the invention advantageously implements an interactive television process applicable to a system where at least one transmitting station comprises at least one bilateral communication link to receivers. This  
5 process comprises the following steps:

a) sending of a message proposing loading of at least one file of additional data by a transmitting station to the receivers, with a view to an optional improvement of an application intended to be executed  
10 subsequently;

b) and upon acceptance by a user of one of the receivers, of the proposal message loading proposal, transmission to this receiver of the files of additional data.  
15

This process, which is especially appropriate for the execution of the process defined above, preferably complies with the latter's schemes.

20 There is advantageously provision for the reception by a return path of an acceptance message originating from the user terminal, then the transferring of the additional data by this return path.

25 The invention applies also to an interactive television receiver comprising means for testing for the presence in a memory of the said receiver, of at least one file of additional data.

According to the invention, this receiver also  
30 comprises:

- means of reception of a startup application and of a normal application,

- and means of starting up the normal application in the absence of the files of additional data in the

said memory and of starting up an improved application if the files of additional data are present in the memory.

This receiver is preferably designed to implement an interactive television process in accordance with any  
5 one of the forms of the invention. It is preferably furnished with a memory module capable of recording the files of additional data.

The subject of the invention is also a digital  
10 television terminal, characterized in that it comprises an interactive television receiver according to the invention.

Moreover, the invention applies to a process for  
15 transmitting applications by a transmitting station to interactive television receivers.

According to the invention, these applications comprise a startup application and a normal application, the startup application being intended to cause a test  
20 for the presence in a memory of at least one of the receivers, of at least one file of additional data, as well as to start up the normal application in the absence of these files of additional data and to start up an improved application using these files of additional data  
25 if these files are present.

This transmitting process preferably is intended to implement the interactive television process in accordance with any one of the forms of the invention.

30 The invention also pertains to a station for transmitting programmes to interactive television receivers. According to the invention, it comprises means of production and of transmission of at least one message comprising a startup application and a normal application  
35 The startup application is intended to cause a test for

the presence in a memory of at least one of the receivers of at least one file of additional data, as well as to start up the normal application in the absence of these files of additional data and to start up an improved  
5 application using the files of additional data if these files are present.

This transmitting station is preferably intended to implement the transmitting process according to the invention.

10 A further subject of the invention is a computer program product comprising program code instructions for the execution of the steps of the process according to any one of the forms of the invention when this program is executed on a computer. The expression "computer  
15 program product" is understood to mean any realization of a computer program, it may be devised not only for storage media (cassettes, disks, etc.) but also for signals (electrical, optical, etc.).

20 The various subjects characteristic of the invention will be more clearly apparent in the description which follows and in the appended figures which represent:

- 25 • Figure 1, a diagram illustrating the principle of the process of the invention;
- Figures 2a and 2b, flowcharts of an exemplary use of the process of the invention;
- 30 • Figure 3, an exemplary implementation of the process forming the subject of the flowcharts of Figures 2a and 2b;
- Figures 4, 5 and 6, examples of information viewed by the user within the framework of the process of the invention;

- Figure 7, a flowchart of another exemplary process according to the invention;
- Figure 8, an exemplary implementation of the process of Figure 7;
- 5     • Figure 9, a flowchart illustrating a procedure for erasing the additional data in memory of a user terminal;
- 10    • Figures 10 and 11, exemplary embodiments of user terminals enabling the invention to be employed.

Referring to Figure 1, the principle of the invention will therefore be described.

A broadcasting station communicates in an interactive manner with one or more digital television user stations, also called reception terminals. Such a  
15     terminal must be able to receive, decode and display on a screen content of audiovisual and application package types, and is associated with a storage module allowing the local storage of the content.

20     As is represented in Figure 1, the process provides for the following steps:

Step 1: Transmission by the broadcasting station and execution by the terminal of a first so-called validation application A1, through which it will be  
25     possible to validate the loading and the storage of files of additional data;

Step 2: Transmission to the terminal and acquisition by the latter of files of additional data, either by recording of these transmitted files, or by  
30     downloading from a server using a return path;

Step 3: Broadcasting and execution of a second so-called startup application A2 and testing for the presence of the files of additional data:

- if the files of additional data are absent,  
35     starting up of a normal application A3,



## 15

- if the files of additional data are present, starting up of an improved version A4 of the application, using the files of additional data;

Step 4: Execution of the application (normal  
5 version A3 or improved version A4);

Step 5: Deletion of the files of additional data after an expiry date, or upon a particular command from the user or from the broadcasting station.

Referring to Figures 2a, 2b and 3, a more  
10 detailed exemplary use will now be described. According to this example, the files of additional data contain data making it possible to carry out in the required time an improved application, but do not contain the latter itself.

15 As represented in Figure 2a, the application A1 is broadcast and is loaded into the user terminal. This application is broadcast during a normal transmission. It constitutes an interrogation and validation application destined for the user.

20 By way of illustration, the validation application A1 is broadcast during a trailer that presents a forthcoming event. For example, tomorrow afternoon, the "Tour de France" cycle race will reach Savoy. On this occasion, the service provider broadcasts  
25 the trailer with which an interactive application is associated, the aim of which is to entice the television viewer so that he authorizes the loading of the additional content.

Figure 4 illustrates the interactive application  
30 proposed during a trailer relating to the coming broadcast of a leg of the Tour de France. The screen of the terminal comprises two zones Z1 and Z2 allowing the user respectively to register or otherwise his interest in the application proposed.

The user will possibly have been informed of the content transfer time, of the possible unavailability of his terminal or of the return path and will optionally be able to choose the means by which he wishes to acquire  
5 this content.

He will therefore be able to authorize the storage of additional content on his appliance or on his network. It is this that is indicated in Figure 2a in the form of the question "USER AGREES?".

10 If the user is not interested in the proposed application, and therefore if he does not agree to receive it, the procedure comes to an end. On the other hand, if he does agree, he responds positively and the system prepares itself to send him one or more files of  
15 additional data.

Beforehand, but this is not absolutely necessary, the broadcasting station transmits information about the contents of the file of additional data, such as configuration parameters enabling the terminal to  
20 download the contents from a URL or to record it (broadcasting service, time of broadcast, etc.), but also the size of the additional data. Depending on this information, the user responds if he agrees to receive the files of additional data. If not, the procedure comes  
25 to an end. In the case of a positive response, the system asks the user for the mode of loading that he wants ("MODE OF LOADING?"). Specifically, with the information emanating from the application, the terminal will be able either to download the content from a URL (standing for  
30 "Universal Resource Locator") address by virtue of the return path, or to programme a timer to record a broadcast service that will contain the additional content. This additional content may be broadcast at night, or on a service dedicated to the broadcasting of  
35 additional content.

In a preferred deployment, however, the user is not requested a second and a third time after having given his agreement to the storage of additional content, in order to indicate whether he is still in agreement in  
5 view of the information regarding the files of additional data. In this variant, the download decision is taken automatically at local level, taking account of the configuration of the terminal and/or of the files acquisition network. This configuration is for example  
10 specified beforehand by the user, in the course of a preliminary installation phase.

The file or files of additional data are then stored on a storage facility (hard disk for example) that may be integrated into the appliance, or on an external  
15 storage facility.

In the case of external storage, the connection between the terminal and the external storage facility is preferably effected using a standard digital domestic bus with the associated protocols (Firewire and HAVi for  
20 example) but may also be effected in a proprietary manner.

A directory in which all the additional content is stored is defined.

As is represented in Figure 2a ("RECORDING IN  
25 MEMORY"), the files of additional data are recorded in memory.

Thereafter, a certain time after the broadcasting of the validation application A1 and after a delay sufficient to allow the terminal to finalize the  
30 acquisition of the files of additional data, the startup application A2, the normal application A3 and the improved application A4 are broadcast on the terminal (see Figures 2b and 3).

Next, the startup application A2 is executed on  
35 the user terminal.

The presence of the files of additional data is then tested for ("FILES IN MEMORY?").

In the case where the files are not in memory, the system triggers the starting up of the normal  
5 application A3.

In the case where the files of additional data are present in full in memory, the system proceeds to the starting up of the improved application A4.

Optionally, the user has the possibility however  
10 of in this case choosing the normal application A3 rather than the improved application A4 (see Figure 2b).

Figure 3 represents an exemplary implementation according to which the files of additional data contain  
15 only data (video, audio, pictures). The various previous steps are found again in this figure:

- 1.broadcasting of the validation application A1;
- 2.broadcasting on request and recording in a memory facility of a user terminal of additional content  
20 (files of additional data);
- 3.broadcasting of the normal application A3 and of the improved application A4 with the startup application A2;
- 4.starting up of the improved application A4.

25 Figure 5 represents an example corresponding to the message of Figure 4 (selection of zone Z1), of an improved application where the vignette V to the right of the text represents a video sequence. The user can optionally view it in full screen mode by validating  
30 through an appropriate actuation.

Figure 6 shows an exemplary normal application also provided for in association with the message of Figure 4 (selection of zone Z2).

Referring to Figures 7 and 8, another exemplary  
35 implementation of the process of the invention will now

be described. In this example, the procedure for proposing files of additional data to the user and that he load them into the user terminal is the same as that which was described in conjunction with Figure 2a and will therefore not be described again. On the other hand, the files of additional data contain the improved application A4, this not having been the case previously.

As is represented in Figures 7 and 8, the normal application A3 and the startup application A2 form the subject of a broadcast and of a loading into the user terminal. As previously, the test in memory for the file or files of additional data is carried out. If these files are not in memory, the normal application A3 is started. If these files are in memory, the improved application A4 contained in the files of additional data is loaded into an execution memory ("LOADING OF A4") and then started ("STARTING OF A4") - unless the user possibly decides to choose the normal application A3.

The possibility should be noted of using a cache to store the normal application A3 broadcast before the startup application A2.

Moreover, the invention makes provision to delete the files of additional data from the memory of the user terminal, thus freeing some room on the storage device and avoiding its saturation.

For this purpose, an expiry data is associated with each file of additional data, thus allowing the terminal to delete files whose expiry date has elapsed. This possibility is indicated in Figures 1, 3 and 8.

The deletion from memory of the recorded files of additional data may also be ordered by the user himself or remotely by the broadcasting station.

Figure 9 represents a flowchart of a process of programmed deletion of the files of additional data recorded in the memory of a user terminal.

During the loading of a file of additional data, an expiry date is associated with this file either by the broadcasting station, or by system, or by the user. This date is recorded in a zone of a memory table together  
5 with the address of the corresponding file of additional data. Periodically, the system explores the table, from the first address of this table ( $i = 0$ ) to the last zone of the table ("LAST ELEMENT?"). With each zone read, the expiry date is compared with the day's date. If it is not  
10 greater than the day's date, the system reads the contents of the next zone by indexing the table (" $i = i+1$ ").

If the expiry date is greater than the day's date, the file of additional data is deleted from the  
15 memory.

When all the zones have been explored, the system stops.

Figures 10 and 11 represent user terminals making it possible to employ the invention. These devices  
20 comprise a central processing unit which is connected to a programme memory and which can receive commands from a remote control interface. The central processing unit manages a screen display device or OSD (standing for On-Screen Display) and an audio/video interface for  
25 displaying transmissions on a screen.

In Figure 10, reception is effected by a tuner and by an antenna making it possible to pick up transmissions broadcast over the airwaves, as well as by a modem connected (telephonically for example) to a  
30 service provider or to a broadcasting station and linked to the central processing unit. A device for recording additional data makes it possible to store the files of additional data in the user terminal's own memory, called "STORAGE of additional data".

In Figure 11, a digital network interface of the user terminal is connected by a communication bus to a network tuner, to a network storage device for storing additional data and to a modem.

5       The terminal of Figure 11 forms part of a network of terminals for which the files of additional data are stored in common by means of the network storage device, which comprises for example a recording module and an appropriate storage space. The reception tuner and the  
10       modem are also common to the network. The assembly is interconnected by the communication bus. The files of additional data are therefore received and stored by the network storage device by way of the tuner and of the modem.

## CLAIMS

1) Interactive television process applicable to a system where at least one transmitting station transmits programmes to receivers, characterized in that it  
5 comprises:

a) reception in one of said receivers, of a startup application (A2) and of a normal application (A3) and triggering of said startup application (A2) causing execution of steps b) to d) hereinbelow;

10 b) testing for the presence in a memory of said receiver of at least one file of additional data;

c) in the absence of said file of additional data in said memory, starting up of the normal application (A3);

15 d) if said file of additional data is present in said memory, starting up of an improved application (A4) using said file of additional data.

2) Interactive television process according to Claim 1, characterized in that, with said transmitting  
20 station comprising at least one link for bilateral communication with said receivers, said process comprises the following prior steps:

e) reception of a message proposing loading of said file of additional data into said receiver;

25 f) acceptance or refusal by a user of said receiver, of the proposed loading;

g) in case of refusal, exiting from the present process;

30 h) in case of acceptance, automatic downloading of said file of additional data which is usable subsequently by said startup application (A2) into said receiver, via said bilateral communication link;



i) recording in said memory of said receiver, of said file of additional data.

3) Interactive television process according to Claim 2, characterized in that it comprises, before step f), the reception, by said receiver, of at least one cue regarding the contents of said file of additional data, said cue preferably being chosen from among a size, a subsequent date of use, a date of expiry or of validity of the additional data, a date on which the additional data will be used, a broadcasting channel which will use the additional data, and a downloading address.

4) Interactive television process according to one of Claims 2 and 3, characterized in that it comprises, before step h), a step in the course of which the user indicates a choice of immediate downloading or of deferred downloading of said file of additional data.

5) Interactive television process according to any one of Claims 2 to 4, characterized in that during step e), the reception of the proposal message is effected upon the reception of an application of the same type as the improved application (A4).

6) Interactive television process according to any one of the preceding claims, characterized in that said file of additional data contains an additional application.

7) Interactive television process according to any one of Claims 1 to 5, characterized in that during step a), said receiver also receives said improved application.

8) Interactive television process according to any one of the preceding claims, characterized in that it comprises a step of automatic erasing of the contents of said memory.

9) Interactive television process according to claim 8, characterized in that a date of erasure is

associated with said file of additional data and in that the erasure step comprises a periodic operation of reading this date and an erasure operation when this date is reached.

5           10) Interactive television process according to any one of the preceding claims, characterized in that said file of additional data contains data chosen from among at least a piece of software, video data, pictures, sound and a combination of these types of data.

10           11) Interactive television receiver comprising means for testing for the presence in a memory of said receiver, of at least one file of additional data, characterized in that it comprises:

          - means of reception of a startup application  
15 (A2) and of a normal application (A3),  
          - and means of starting up the normal application (A3) in the absence of said file of additional data in said memory and of starting up an improved application (A4) if said file of additional data is present in said  
20 memory,

said receiver preferably being designed to implement an interactive television process in accordance with any one of the preceding claims.

25           12) Digital television terminal, characterized in that it comprises an interactive television receiver according to Claim 11.

          13) Process for transmitting applications by a broadcasting station to interactive television receivers, characterized in that said applications comprise  
30 a startup application (A2) and a normal application (A3), said startup application (A2) being intended to cause a test for the presence in a memory of at least one of said receivers, of at least one file of additional data, as well as to start up the normal application (A3) in the  
35 absence of said file of additional data and to start up

an improved application (A4) using said file of additional data if said file is present,

said transmitting process preferably being intended to implement said interactive television process  
5 in accordance with any one of Claims 1 to 10.

14) Station for transmitting programmes to interactive television receivers, characterized in that it comprises means of production and of transmission of at least one message comprising a startup application  
10 (A2) and a normal application (A3), said startup application (A2) being intended to cause a test for the presence in a memory of at least one of said receivers of at least one file of additional data, as well as to start up the normal application (A3) in the absence of said  
15 file of additional data and to start up an improved application (A4) using said additional file if said file is present,

said transmitting station preferably being intended to implement the transmitting process according  
20 to Claim 13.

15) Computer program product comprising program code instructions for the execution of the steps of the process according to any one of Claims 1 to 10 and 13 when said program is executed on a computer.

1/7




FIG. 1




FIG. 3




FIG. 8

2/7




FIG. 2a

3/7




FIG. 2b

4/7




FIG. 4




FIG. 5




FIG. 6

5/7




FIG. 7



6/7




FIG. 9

7/7




FIG. 10




FIG. 11

# INTERNATIONAL SEARCH REPORT

Intern	Application No
PCT/EP 03/50678	

**A. CLASSIFICATION OF SUBJECT MATTER**  
 IPC 7 H04N5/00 H04N7/24

According to International Patent Classification (IPC) or to both national classification and IPC

**B. FIELDS SEARCHED**

Minimum documentation searched (classification system followed by classification symbols)  
 IPC 7 H04N

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the International search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data, PAJ

**C. DOCUMENTS CONSIDERED TO BE RELEVANT**

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	EP 0 989 743 A (CANAL PLUS SA) 29 March 2000 (2000-03-29) section '0121! ---	1-15
X	WO 01 31920 A (BATES THOMAS F IV ; GEN INSTRUMENT CORP (US); DEL SORDO CHRIS (US);) 3 May 2001 (2001-05-03) page 4, line 1 -page 6, line 31 page 12, line 3 -page 18, line 14 page 26, line 18 -page 28, line 30 claims 1-3 ---	1,2,4,5, 7,11-15
X	WO 00 64172 A (MICROSOFT CORP) 26 October 2000 (2000-10-26) page 3, line 6 -page 4, line 5 page 6, line 12 -page 7, line 32 page 8, line 32 -page 9, line 16 figure 5 --- -/-	1,7, 11-15



Further documents are listed in the continuation of box C.



Patent family members are listed in annex.

**\* Special categories of cited documents:**

- \*A\* document defining the general state of the art which is not considered to be of particular relevance
- \*E\* earlier document but published on or after the International filing date
- \*L\* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- \*O\* document referring to an oral disclosure, use, exhibition or other means
- \*P\* document published prior to the International filing date but later than the priority date claimed

- \*T\* later document published after the International filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- \*X\* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- \*Y\* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- \*G\* document member of the same patent family

Date of the actual completion of the International search

17 February 2004

Date of mailing of the International search report

24/02/2004

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2  
 NL - 2280 HV Rijswijk  
 Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,  
 Fax: (+31-70) 340-3016

Authorized officer

La, V

# INTERNATIONAL SEARCH REPORT

Intern: application No  
PCT/EP 03/50678

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 2002/059623 A1 (JERDING DEAN F ET AL) 16 May 2002 (2002-05-16) sections '0102!-'0110! ----	1-5, 10-15
X	US 5 966 120 A (SHEN PAUL ET AL) 12 October 1999 (1999-10-12) column 4, line 36 -column 5, line 8 column 8, line 5 - line 21 ----	1,10-15
X	WO 02 32139 A (UNITED VIDEO PROPERTIES INC) 18 April 2002 (2002-04-18) page 42, line 9 -page 45, line 30 ----	1,10-15
A	WO 01 50763 A (THOMSON MULTIMEDIA SA ;LESENNE LAURENT (FR); PATRY NADINE (FR); CA) 12 July 2001 (2001-07-12) cited in the application page 2, line 23 - line 32 page 5, line 25 -page 6, line 6 ----	1-15
A	WO 02 39745 A (DIGEO INC) 16 May 2002 (2002-05-16) -----	

# INTERNATIONAL SEARCH REPORT

Information on patent family members

Internal

Application No

PCT/EP 03/50678

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
EP 0989743	A	29-03-2000	EP 0989743 A1	29-03-2000
			AT 228744 T	15-12-2002
			AU 756391 B2	09-01-2003
			AU 5879699 A	17-04-2000
			BR 9913880 A	24-07-2001
			CA 2341248 A1	06-04-2000
			CN 1336070 T	13-02-2002
			CZ 20011081 A3	17-10-2001
			DE 69904222 D1	09-01-2003
			DE 69904222 T2	04-09-2003
			EP 1116379 A2	18-07-2001
			ES 2188239 T3	16-06-2003
			HK 1034840 A1	19-09-2003
			HR 20010186 A1	30-04-2002
			HU 0200333 A2	29-05-2002
			WO 0019708 A2	06-04-2000
			ID 29810 A	11-10-2001
			JP 2002526991 T	20-08-2002
			NO 20011520 A	25-05-2001
			PL 346754 A1	25-02-2002
			TR 200100844 T2	23-07-2001
WO 0131920	A	03-05-2001	WO 0131920 A1	03-05-2001
			AU 1221000 A	08-05-2001
			AU 1632001 A	08-05-2001
			AU 1632101 A	08-05-2001
			CA 2387408 A1	03-05-2001
			CA 2388210 A1	03-05-2001
			CN 1411655 T	16-04-2003
			DE 60002747 D1	18-06-2003
			DE 69907761 D1	12-06-2003
			EP 1224799 A1	24-07-2002
			EP 1234451 A1	28-08-2002
			TW 509875 B	11-11-2002
			TW 533722 B	21-05-2003
			WO 0131442 A2	03-05-2001
			WO 0131912 A1	03-05-2001
WO 0064172	A	26-10-2000	US 6460180 B1	01-10-2002
			AU 4652900 A	02-11-2000
			WO 0064172 A1	26-10-2000
US 2002059623	A1	16-05-2002	NONE	
US 5966120	A	12-10-1999	AU 7724996 A	11-06-1997
			CA 2237766 A1	29-05-1997
			EP 0862836 A1	09-09-1998
			JP 2000500632 T	18-01-2000
			WO 9719560 A1	29-05-1997
WO 0232139	A	18-04-2002	AU 1307102 A	22-04-2002
			CA 2425472 A1	18-04-2002
			EP 1327358 A2	16-07-2003
			TW 543327 B	21-07-2003
			WO 0232139 A2	18-04-2002
			US 2002042920 A1	11-04-2002
			AU 1155302 A	22-04-2002
			CA 2425479 A1	18-04-2002

# INTERNATIONAL SEARCH REPORT

information on patent family members

Internat

Application No

PCT/EP 03/50678

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 0232139	A	CN 1470130 T	21-01-2004
		EP 1327209 A2	16-07-2003
		WO 0231701 A2	18-04-2002
		US 2002059621 A1	16-05-2002
		AU 1157002 A	22-04-2002
		BR 0114605 A	01-07-2003
		CA 2425482 A1	18-04-2002
		CN 1470129 T	21-01-2004
		EP 1327357 A2	16-07-2003
		TW 545060 B	01-08-2003
		WO 0232140 A2	18-04-2002
		US 2002042921 A1	11-04-2002
WO 0150763	A	FR 2809836 A1	07-12-2001
	12-07-2001	FR 2809837 A1	07-12-2001
		AU 3031001 A	16-07-2001
		WO 0150763 A1	12-07-2001
WO 0239745	A	US 2002147984 A1	10-10-2002
	16-05-2002	AU 7154801 A	21-05-2002
		AU 8540401 A	21-05-2002
		WO 0239289 A1	16-05-2002
		WO 0239745 A1	16-05-2002
		US 2002083464 A1	27-06-2002